

S2

Straightforward, efficient and robust

EVERY ESPRESSO IS
A PERFECT PLEASURE





Giovanna Caruso
Caffè Da Graziella, Catania, Caffè Latte



Its ease of use, choice of robust materials and high performance makes the S2 the perfect choice for professional baristas. The classical and yet modern appearance of the retro-style Espresso machine is a real eye-catcher that goes with any room decor.

ROBUST AND EFFICIENT

The S2 is the straightforward all-rounder in the Franke Coffee Systems Traditional Line. It convinces thanks to its ease of use and latest technology components.



- 1 A CLEAN-CUT AFFAIR
- 2 INDIVIDUALLY PROGRAMMABLE
- 3 EFFECTIVELY ILLUMINATED
- 4 COMPACT



A CLEAN-CUT AFFAIR

- The rust-proof stainless steel not only impresses with its modern aesthetics. The specially treated surface ensures fingerprints and water marks do not stand a chance.
- Integrated handles mean the drip tray is easy to remove and clean.



INDIVIDUALLY PROGRAMMABLE

- The fill quantities per button can be programmed individually for each group.



EFFECTIVELY ILLUMINATED

- The optional LED lighting makes the S2 the highlight of every cafe or bar.



COMPACT

- The S2 Compact is exactly the right machine for every small cafe, bistro or bar to spoil the customer with perfect coffee pleasure. It may be small (W 540/D 530/H 520 mm), but it is in no way inferior to bigger machines: high performance due to 2 brewing groups, 2 steam dispensers and one hot water dispenser.



FRANKE BY LA SPAZIALE – PERFORMANCE MEETS ITALIANITA' AT ITS BEST.

The goal of Franke Coffee Systems has always been the development of its machine offering to allow for a multicultural approach that is derived from its worldwide activities. Whether serving Chococinos or an Iced Mojito Latte Macchiato – true recipe building through both variety and expertise have always been the cornerstones of our recent and past success. Enhancing the menu through perfect Italian Espresso as part of the In Cup Quality Focus is just another piece in the mosaic to fulfill a perfectly orchestrated coffee offering.



ESPRESSO TRADITION

Espresso coffee machines “Made in Italy”, with an excellent reputation and company history, known for their quality and their respect for the Espresso process.



THE HEART OF FRANKE BY LA SPAZIALE

All Franke by La Spaziale models share one thing in common: their special heat exchanger, which is heated by the steam component of the boiler, which leads to a greater level of temperature stability, causes considerably reduced lime build up, and results in even more perfect Espressos. The true difference of Franke by La Spaziale.



PRE-INFUSION TECHNOLOGY

All of the machines have a natural pre-infusion system that takes the water pressure to the coffee cake exceptionally smoothly, bringing the aroma and crema to the cup.


FACTS & FIGURES

STANDARDS

- Semi-automatic Espresso coffee machine with 1, 2 or 3 brewing groups
- 2-group Compact Version
- Integrated pump
- Electrical heating system
- 3-liter boiler (for the 1-group version)
- 5-liter boiler (for the Compact version)
- 10-liter boiler (for the 2-group version)
- 15-liter boiler (for the 3-group version)
- Manometer for boiler and pump pressure control
- 1 hot water dispenser nozzle/2 steam valves for milk foaming
- Electronic monitoring of filling and temperature control in the boiler
- Body made from rust-proof, stainless steel
- Narrow diameter filter, 53 mm, ideal for Espresso parameters (7 grams).

OPTIONAL

- LED lighting side
- Gas heating (for the 2- and 3-group versions)
- Electrical cup warmer
- (for the 2- and 3-group and Compact version)



1 GROUP

Dimensions: WxDxH (mm)	460x530x520
Weight (kg)	42
Boiler capacity (liters)	3

2 GROUPS

Dimensions: WxDxH (mm)	700x530x520
Weight (kg)	65
Boiler capacity (liters)	10

3 GROUPS

Dimensions: WxDxH (mm)	930x530x520
Weight (kg)	82
Boiler capacity (liters)	15

S2 COMPACT

Dimensions: WxDxH (mm)	540x530x520
Weight (kg)	57
Boiler capacity (liters)	5

CONNECTED LOAD AND HEATING CAPACITY (S2 WITH BOOST FUNCTION ACTIVE)

	1 GROUP	2 GROUPS	3 GROUPS	S2 COMPACT
Volt	100/220/240	220/240	220/240/400	110/220/240
Hz	50/60	50/60	50/60	50/60
W	3000	3900	6500	3800

Please check country specific product availability as these may vary.



«ENJOY THE PLEASURE
TOGETHER».

Franke Kaffeemaschinen AG
Franke-Strasse 9
4663 Aarburg
Switzerland
Fon +41 62 787 36 07
Fax +41 62 787 30 10
www.franke.com

Franke Coffee Systems GmbH
Franke Strasse 1
97947 Grünsfeld
Germany
Fon +49 9346 9278 0
Fax +49 9346 9278 100
www.franke.de

Franke Coffee Systems
UK Ltd
18 Handley Page Way,
Old Parkbury Lane,
St Albans,
Hertfordshire AL2 2DQ
England
Fon +44 1923 635700
Fax +44 1923 635701
www.franke.com

Franke Commercial Systems
Japan Inc.
Shinkawa Bldg. 6F
D104-0033 Chuo-ku,
Tokyo, Japan
Fon +81 3 3523 7660
Fax +81 3 3523 3360
www.franke.com

Franke Coffee Systems
Americas
800 Aviation Parkway
Smyrna, TN 37167
USA
Fon +1 615 462 4265
Fax +1 615 462 4400
www.franke.com

